MALLEABLE IRON FITTINGS



Malleable Iron Unions • Class 150; 250; 300

		BF	RONZE TO	IRON					
	2:					Unit Weight			
Unions	Size		End to End		Black		Galv.		
	NPS	DN	in	mm	lbs	kg	lbs	kg	
FIGURE 459	1/8	6	1 ⁵ ⁄16	33	0.14	0.06	0.14	0.06	
■ Class 300 Union	1/4	8	1 ¹³ ⁄ ₁₆	47	0.48	0.22	0.48	0.22	
300lb. wsp · 600lb. wog non-shock	3/8	10	1 ¹³ ⁄ ₁₆	47	0.42	0.19	0.42	0.19	
	1/2	15	2 ¹ / ₁₆	52	0.64	0.29	0.64	0.29	
	3/4	20	21/4	57	1.00	0.45	1.00	0.45	
	1	25	29/16	65	1.56	0.71	1.56	0.71	
	11/4	32	23/4	70	2.30	1.04	2.30	1.04	
No.	11/2	40	3	76	2.74	1.24	2.74	1.24	
c(UL) us <fm></fm>	2	50	33//8	86	4.34	1.97	4.34	1.97	
LISTED APPROVED	21/2	65	37//8	98	5.05	2.29	5.05	2.29	
(UL Listed Sizes: 1/4" - 2") (FM Approved Sizes: 1/4" - 4")	3	80	41/4	108	7.66	3.47	7.66	3.47	
· · · ·	4	100	47//8	124	17.70	8.03	17.70	8.03	
FIGURE 551 Class 300 Union male & female	1/2	15	3	76	0.62	0.28	_	-	
300lb. wsp · 600lb. wog non-shock	3/4	20	33/16	81	0.92	0.42	_	-	
APPROVED .	1	25	35//8	92	1.54	0.70	_	-	
	1½	40	41/4	108	2.60	1.18	_	_	
	2	50	45//8	117	4.21	1.91	-	_	
FIGURE 552	Size		Center		to End		Unit Weight		
Class 300 90° Elbow			Elbow		Union		Black		
Female Union 300lb. wsp	NPS	DN	in	mm	in	mm	lbs	kg	
₹M>	3/8	10	1 ½16	27	21/16	52	0.51	0.23	
APPROVED	1/2	15	11/4	32	2 ⁵ ⁄ ₁₆	59	0.79	0.36	
	3/4	20	17/16	37	23/4	70	1.24	0.56	
	1	25	15/8	41	3	76	1.88	0.85	

- See following page for pressure-temperature ratings.
- Anvil Malleable Iron Unions conform to ASME B 16.39 and are in compliance with the requirements of the AAR (1994 AAR Manual of standards and Practices).
- Dimensions conform to ASME B 16.39 for Class 150, 250 & 300 Unions.

wsp=working steam pressure wog=water, oil, gas

PROJECT INFORMATION	APPROVAL STAMP
Project:	Approved
Address:	Approved as noted
Contractor:	☐ Not approved
Engineer:	Remarks:
Submittal Date:	
Notes 1:	
Notes 2:	

MALLEABLE IRON FITTINGS





Malleable Iron Threaded Pipe Unions Pressure - Temperature Ratings Pressure **Temperature** Class 250 **Class 150 Class 300** (°C) (°F) psi bar bar -20° -28.9° to to 300 20.7 500 34.5 600 41.4 150° 65.6° 200° 93.3° 265 18.3 455 31.4 550 37.9 250° 121.1° 225 15.5 405 27.9 505 34.8 300° 148.9° 12.8 31.7 185 360 24.8 460 350° 176.7° 10.3 28.6 150 315 21.7 415 400° 204.4° 110 7.6 270 18.6 370 25.5 450° 232.2° 75 5.2 225 15.5 325 22.4 500° 260.0° 180 12.4 280 19.3 287.8° 550° 130 9.0 230 15.9

Note: Unions with Copper or Copper Alloy seats are not intended for use where temperature exceeds 450°F





For Listings/Approval Details and Limitations, visit our website at www.anvilintl.com or contact an Anvil Sales Representative.

Pressure - Temperature Ratings											
		Pressure									
Temperature		Class 150		Class 300							
				Sizes ½"-1" (6-25 mm)		Sizes 1¼"–2" (32–51 mm)		Sizes 2½"-3" (64-76 mm)			
(°F)	(°C)	psi	bar	psi	bar	psi	bar	psi	bar		
-20° to 150°	-28.9° to 65.6°	300	20.7	2,000	137.9	1,500	103.4	1,000	68.9		
200°	93.3	265	18.3	1,785	123.1	1,350	93.1	910	62.7		
250°	121.1	225	15.5	1,575	108.6	1,200	82.7	825	56.9		
300°	148.9	185	12.8	1,360	93.8	1,050	72.4	735	50.7		
350°	176.7	150	10.3	1,150	79.3	900	62.1	650	44.8		
400°	204.4	_	_	935	64.5	750	51.7	560	38.6		
450°	232.2	_	_	725	50.0	600	41.4	475	32.8		

Malleable Iron Threaded Fittings

Anvil Class 150/300 Malleable Iron Fittings conform to ASME B16.3 and Unions conform to ASME B16.39.

35.2

20.7

450

300

31.0

20.7

385

300

26.5

20.7

510

300

ALL ELBOWS & TEES %" (10 DN) and LARGER ARE 100% GAS TESTED AT A MINIMUM OF 100 PSI. (6.9 bar)

Standards and Specifications									
	Dimensions	Material	Galvanizing**** Thread		Pressure Rating	Federal/Other			
MALLEABLE IRON FITTINGS									
Class 150/PN 20	ASME B16.3●	ASTM A-197	ASTM A-153	ASME B1 20.1+	ASME B16.3●	ASME B16.3**			
Class 300/PN 50	ASME B16.3●	ASTM A-197	ASTM A-153	ASME B1 20.1+	ASME B16.3●				
MALLEABLE IRON UNIONS									
Class 150/PN 20	ASME B16.39●	ASTM A-197	ASTM A-153	ASME B1 20.1+	ASME B16.39●	ASME B16.39***			
Class 250	ASME B16.39●	ASTM A-197	ASTM A-153	ASME B1 20.1+	ASME B16.39●				
Class 300/PN 50	ASME B16.39●	ASTM A-197	ASTM A-153	ASME B1 20.1+	ASME B16.39●				

500°

550°

260.0

287.8

[•] an American National standard (ANSI), + ASME B1.20.1 was ANSI B2.1, ** Formerly WW-P-521, *** Formerly WW-U-531

^{****} ASTM B 633. Type I, SC 4, may be supplied as alternate zinc coating per applicable ASME B16 product standard.

MALLEABLE IRON FITTINGS



General Assembly of Threaded Fittings

- 1) Inspect both male and female components prior to assembly.
 - Threads should be free from mechanical damage, dirt, chips and excess cutting oil.
 - Clean or replace components as necessary.
- 2) Application of thread sealant
 - Use a thread sealant that is fast drying, sets-up to a semi hard condition and is vibration resistant. Alternately, an anaerobic sealant may be utilized.
 - Thoroughly mix the thread sealant prior to application.
 - Apply a thick even coat to the male threads only. Best application is achieved with a brush stiff enough to force sealant down
 to the root of the threads.
- 3) Joint Makeup
 - For sizes up to and including 2" pipe, wrench tight makeup is considered three full turns past handtight. Handtight engagement for 1/2" through 2" thread varies from 41/2 turns to 5 turns.
 - For $2^{1}/2^{"}$ through 4" sizes, wrench tight makeup is considered two full turns past handtight. Handtight engagement for $2^{1}/2^{"}$ through 4" thread varies from $5^{1}/2$ turns to $6^{3}/4$ turns.