



HEATING & AIR CONDITIONING



**Coleman®**

DUCT-FREE MINI-SPLIT SYSTEMS  
SINGLE-ZONE SYSTEMS  
P Series — 18 SEER



## FIT MORE COMFORT INTO MORE PLACES

Space-saving, energy-saving Coleman® P Series Duct-Free Mini-Split single-zone air conditioners and heat pumps are the perfect comfort solution for room additions, remodels, and other spaces. They eliminate the cost and hassle of installing ducts and let you dial in the exact temperature and humidity you need.

### A sound investment

**Superb energy savings.** Duct-Free Mini-Split systems deliver just the right amount of heating and cooling to the space, using no more energy than necessary. Most systems are ENERGY STAR® certified. With efficiency ratings among the industry’s highest, they can save up to 30 percent over typical central air conditioning systems.

**A breeze to install.** You can use the same wiring as your regular household devices and appliances, saving installation costs and limiting disruption of your home.

### Right at home in your home

**Convenient control.** Choose a wireless remote or wall-mounted zone controller. With a “comfortable sleep” mode and a timer function, you can easily set temperatures by time of day.



**Cozy all winter.** Duct-Free Mini-Split heat pumps offer “cold blow” prevention: The fan is delayed slightly at the start of each cycle to make sure the air always comes out warm.

### Comfort at your fingertips.

An optional “I Feel” function on the wireless remote lets you easily set your preferred temperature.

**Easy on the ears and eyes.** Conditioned air is delivered whisper-quiet. Slim-profile heating/cooling units look great; compact size lets them fit in perfectly.

## P Series Indoor Unit and Control Options

		Controllers
Indoor Unit Options		 Wireless Remote Controller
Wall-Mounted Unit		Standard



115V 9K-12K BTU/H  
 OR 208/230V 9K-36K BTU/H  
 INVERTER DRIVEN HEAT PUMPS  
 AND COOLING ONLY SYSTEMS



## CHOOSE THE PERFECT SOLUTION

Your Coleman® Duct-Free Mini-Split system includes an outdoor unit that delivers refrigerant to an indoor unit in your chosen room. The indoor unit then supplies heated or cooled air in only the amounts needed to keep the room temperature you set. Duct-Free Mini-Splits are ideal substitutes for bulky, noisy window air conditioners.

They are especially well-suited for:

**Older homes.** Add heating or cooling comfort in a chosen space without altering charm or special design elements.


**Additions.** Heat or cool a new space without a costly existing system upgrade. Absence of ducts gives you more design freedom and saves money.

**Problem rooms.** Cost-effectively turn consistently too-warm or too-cool rooms into cozy, comfortable spaces.

**Attics and garages.** Add living spaces at affordable cost with minimal disruption. Heat and cool the space only when in use.

### Single room:

Choose a single-zone Mini-Split system for individualized comfort.



### Room addition

A single-zone unit is ideal for sunrooms or other additions where an unsightly window unit or ductwork system doesn't work.



## YOUR CERTIFIED COMFORT EXPERT

Your COLEMAN® dealer is a home comfort professional, trained to help you select the Coleman Duct-Free Mini-Split system that fits your home exactly. Our Certified Comfort Expert™ (CCE) Dealers are part of a national network of independent businesses with proven records of success in providing complete customer satisfaction.

### Satisfaction Guaranteed

Working with a Coleman CCE Dealer means your Duct-Free Mini-Split is backed with a 100% Satisfaction Money Back Guarantee. After installation, your dealer will be there with dependable service to make sure your system keeps working perfectly.

Coleman® P Series Duct-Free Mini-Split single-zone air conditioners and heat pumps									
Outdoor Unit	Indoor Unit	System Type	Indoor Type	SEER	EER	HSPF	Rated Cooling	Rated Heating	Voltage
DHP09CSB11S	DHP09NWB11S	Heat Pump	Wall mount	16	9.55	9	9000	9600	115V - 1ph
DHP09CSB21S	DHP09NWB21S	Heat Pump	Wall mount	16	10	9	9000	9500	208V - 1ph
DHP12CSB11S	DHP12NWB11S	Heat Pump	Wall mount	16	10.55	9	12000	13000	115V - 1ph
DHP12CSB21S	DHP12NWB21S	Heat Pump	Wall mount	16	9.25	9	12000	13000	208V - 1ph
DHP18CSB21S	DHP18NWB21S	Heat Pump	Wall mount	16	9	9	18000	19000	208V - 1ph
DHP24CSB21S	DHP24NWB21S	Heat Pump	Wall mount	16	9.75	9	22000	23000	208V - 1ph
DHP30CSB21S	DHP30NWB21S	Heat Pump	Wall mount	18	10.35	9	28000	28400	208V - 1ph
DHP36CSB21S	DHP36NWB21S	Heat Pump	Wall mount	18	8.2	9	33600	34600	208V - 1ph
DCP09CSB11S	DCP09NWB11S	Air Conditioner	Wall mount	16	9.55	-	9000	-	115V - 1ph
DCP09CSB21S	DCP09NWB21S	Air Conditioner	Wall mount	16	10	-	9000	-	208V - 1ph
DCP12CSB11S	DCP12NWB11S	Air Conditioner	Wall mount	16	10.55	-	12000	-	115V - 1ph
DCP12CSB21S	DCP12NWB21S	Air Conditioner	Wall mount	16	9.25	-	12000	-	208V - 1ph
DCP18CSB21S	DCP18NWB21S	Air Conditioner	Wall mount	16	9.5	-	18000	-	208V - 1ph
DCP24CSB21S	DCP24NWB21S	Air Conditioner	Wall mount	16	9.75	-	22000	-	208V - 1ph
DCP30CSB21S	DCP30NWB21S	Air Conditioner	Wall mount	18	10.35	-	28000	-	208V - 1ph
DCP36CSB21S	DCP36NWB21S	Air Conditioner	Wall mount	18	8.2	-	33600	-	208V - 1ph



Check our warranty certificate for extended warranties. For more details on optional extended warranties, terms, conditions, and limitations, please ask your sales representative.



### Industry certified

Coleman® Mini-Split systems are Intertek ETL Listed (Canada & USA), signifying that they comply with the standard of Heating and Cooling Equipment (ANSI/UL 1995 and CAN/CSA C22.2 No. 236-11, 4th Edition, October 14, 2011). The systems are also certified by the Air Conditioning, Heating & Refrigeration Institute.

