

EGi enerco group inc

 Mr. Heater®

HEATSTAR 

 ENERCO®

FLEX-TECH 

HVAC & LP GAS DISTRIBUTION CATALOG





Enerco Group, Inc., based in Cleveland Ohio, has been at the forefront of infrared and combustion technology since 1957. Market leading engineering and experience has enabled Enerco to build expertise in the consumer heating, heavy duty industrial, construction, custom process heating and now, agricultural and greenhouse heating markets. Over six decades, Enerco has developed brands and product lines tailored to the needs of these market segments.

Since 1984, Enerco has established several brands generating rapid growth via retail distribution. The Mr. Heater Brand is America's most popular heater brand in the consumer market. It includes an array of products geared to the specialized needs of the outdoor enthusiasts.

Heatstar by Enerco and Enerco are leading brands in the construction, equipment rental and industrial arenas. These heaters are engineered with rugged designs geared to meet the durability and toughness demands of construction and industrial work sites. The Heatstar Brand is sold exclusively through professional tool, industrial, rental, HVAC and LP gas distributors. Enerco Brand applies to a complete line of hoses, fittings and accessories marketed through industrial, professional HVAC, LP Gas and Recreational Vehicle distributors.

In 2013, Stanley Black and Decker selected Enerco Group, Inc. to be the North American licensee to make and market DEWALT® Portable Heaters. The DEWALT® license arrangement was expanded to include Europe in 2017. In 2015, the Heatstar AG Brand was launched with a group of products custom built for agriculture and greenhouse applications.


Through product innovation, world class quality, outstanding marketing, and world class customer service, Enerco has earned North American market leading positions in each of the markets we serve.



Page 5



Page 8



Page 9



Page 16

Description	Page
Vent Free Heaters	4-5
Radiant Tube Heaters	6-7
High Intensity Infrared Heaters	8-9
Portable Propane Heaters	10
Portable Propane Buddy Heaters	11
Gas Unit Heaters	12
Nomad Dual Fuel Box Heaters	12
Direct Fired Greenhouse Heaters	13
Heatstar Construction Heaters	14-15
Dewalt Job-Site Heaters	16-17
Hand & Foot Warmers	18
Angle Iron Propane Stoves	18
Handheld Propane Torches	18
Portable Propane Shower Systems	18
Propane Hoses, Fittings & Regulators	19-23

Black & red tables represent new products.

NEW PRODUCTS	Page
HS45GSP Tube Heater	6
High Intensity Garage Heater Grid Kit	8
Heatstar Pro Series	15
DEWALT Portable Radiant Heater	16

Icon guide

-  Easy repairs
Tech service: 1-866-447-2194
-  Heavy-duty
-  Easy-grip handle
-  Indoor safe

VENT FREE INFRARED HEATERS

Model #	Description
F156001	HSSVFRD10LPT - (Propane) - 10,000 BTU/Hr.
F155226	HSVFR10NG - (Natural Gas) - 10,000 BTU/Hr.
F155228	HSVFR10LP (Propane) - 10,000BTU/Hr.
F156040	HSSVFRD20NGBT- (Natural Gas) - 20,000 BTU/Hr.
F156050	HSSVFRD20LPBT - (Propane) - 20,000 BTU/Hr.
F156081	HSSVFRD30NGBT - (Natural Gas) - 30,000 BTU/Hr.
F156091	HSSVFRD30LPBT - (Propane) - 30,000 BTU/Hr.



- Blower fan included (20 & 30,000 models only) - **Circulates heat**
- Wall mount bracket & feet included - **Easy to install**
- No venting or chimney required
- 4500 ft high altitude restriction (**see manual for use above 4,500 feet**)
- CSA certified - **Not Approved for use in California or Canada.**
- Electronic “push-button” ignition - (**AA batteries included**)
- Thermostat included - **As noted in chart below**
- Safe - **Built-in low oxygen shut-off sensor**
- Economical - **99.9% Efficient**
- 5-Year limited warranty



Model# Stock#	F156001 HSSVFRD10LPT	F155226 HSVFR10NG	F155228 HSVFR10LP	F156040 HSSVFRD20NGBT	F156050 HSSVFRD20LPBT	F156081 HSSVFRD30NGBT	F156091 HSSVFRD30LPBT
BTU Rating	10,000	10,000	10,000	20,000	20,000	30,000	30,000
Burn Rate	0.463 lbs/hr	0.001 MCF	0.463 lbs/hr	0.020 MCF	0.926 lbs/hr	0.030 MCF	1.389 lbs/hr
Variable Output	NO	YES	YES	NO	NO	NO	NO
Heats Up To: (Approx. Sq. Ft.)	250	250	250	500	500	750	750
Fuel	Propane	Natural Gas	Propane	Natural Gas	Propane	Natural Gas	Propane
Minimum Recommended Tank Size	20 lb.	NA	20 lb.	NA	20 lb.	NA	20 lb.
Certified	YES	YES	YES	YES	YES	YES	YES
Low Oxygen Safety Shut-Off	YES	YES	YES	YES	YES	YES	YES
Legs & Hardware Included	YES	YES	YES	YES	YES	YES	YES
Ignition	Electronic	Piezo	Piezo	Electronic	Electronic	Electronic	Electronic
Integrated Blower Fan	NO	NO	NO	YES	YES	YES	YES
Thermostat	YES	NO	NO	YES	YES	YES	YES

This heater obtained the indicated BTU ratings when tested per ANSI Z21.11.2-2002, addenda Z21.11.2a-2003 “Gas Fired Room Heaters,” Volume II, “Unvented Room Heaters.” Always check local codes for permitted uses.

VENT FREE BLUE FLAME HEATERS

Model #	Description
F156011	HSSVFBF10LPT - (Propane) - 10,000 BTU/Hr.
F155549	HSVFB10NG - (Natural Gas) - 10,000 BTU/Hr.
F155582	HSVFB10LP (Propane) - 10,000 BTU/Hr.
F156020	HSSVFBF20NGBT- (Natural Gas) - 20,000 BTU/Hr.
F156031	HSSVFBF20LPBT - (Propane) - 20,000 BTU/Hr.
F156060	HSSVFBF30NGBT - (Natural Gas) - 30,000 BTU/Hr.
F156071	HSSVFBF30LPBT - (Propane) - 30,000 BTU/Hr.



- Blower fan included (20 & 30,000 models only) - **Circulates heat**
- Wall mount bracket & feet included - **Easy to install**
- No venting or chimney required
- 4500 ft high altitude restriction (see manual for use above 4,500 feet)
- CSA certified - **Not Approved for use in California or Canada.**
- Electronic “push-button” ignition - **(AA batteries included)**
- Thermostat included - **As noted in chart below**
- Safe - **Built-in low oxygen shut-off sensor**
- Economical - **99.9% Efficient**
- 5-Year limited warranty



Model# Stock#	F156011 HSSVBF10LPT	F155549 HSVFB10NG	F155582 HSVFB10LP	F156020 HSSVFBF20NGBT	F156031 HSSVFBF20LPBT	F156060 HSSVFBF30NGBT	F156071 HSSVFBF30LPBT
BTU Rating	10,000	10,000	10,000	20,000	20,000	30,000	30,000
Burn Rate	0.463 lbs/hr	0.001 MCF	0.463 lbs/hr	0.020 MCF	0.926 lbs/hr	0.030 MCF	1.389 lbs/hr
Variable Output	NO	YES	YES	NO	NO	NO	NO
Heats Up To: (Approx. Sq. Ft.)	250	250	250	500	500	750	750
Fuel	Propane	Natural Gas	Propane	Natural Gas	Propane	Natural Gas	Propane
Minimum Recommended Tank Size	20 lb.	NA	20 lb.	NA	20 lb.	NA	20 lb.
Certified	YES	YES	YES	YES	YES	YES	YES
Low Oxygen Safety Shut-Off	YES	YES	YES	YES	YES	YES	YES
Legs & Hardware Included	YES	YES	YES	YES	YES	YES	YES
Ignition	Electronic	Piezo	Piezo	Electronic	Electronic	Electronic	Electronic
Integrated Blower Fan	NO	NO	NO	YES	YES	YES	YES
Thermostat	YES	NO	NO	YES	YES	YES	YES

This heater obtained the indicated BTU ratings when tested per ANSI Z21.11.2-2002, addenda Z21.11.2a-2003 “Gas Fired Room Heaters”, Volume II, “Unvented Room Heaters.” Always check local codes for permitted uses.

HS45GSP TUBE HEATERS

- Comes fully assembled
- Compact 3" Aluminized Steel U-Tube Design
- Provides Uniform Heat Distribution
- Polished Aluminum Deep-Dish Reflector
- 120VAC, single phase, 1 amp
- Low clearance requirements



*Pictured with optional grid kit



Stock #	Model #	BTU/HR	Gas
F102857	HS45GSP-NG	45,000	NG
F102855	HS45GSP-LP	45,000	LP

VENTING SPECIFICATIONS

Length min.	Length Max.	Intake/Pipe	Vent Pipe
3'	25'	3" Diameter	4" Diameter

Data	HS45GSP-NG	HS45GSP-LP
Stock Number	F102857	F102855
Input (BTU/HR)*	45,000	45,000
Fuel Type	Natural Gas	Propane
Electrical Rating	120VAC, 60Hz, single phase, 1 amp	120VAC, 60Hz single phase 1 amp
Electrical Connection	3 pin moulded plug	3 pin moulded plug
Gas Inlet Connection	1/2" female NPT	1/2" female NPT
Gas Inlet Pressure Minimum/Maximum	5.0" / 10.5" w.c.	11.0" / 13.5" w.c.
Manifold Pressure	4.0" w.c.	10.0" w.c.
Weight	91 lbs.	91 lbs.
Length	10'-3"	10'-3"

ACCESSORIES

Stock #	Description	UPC
F102848	Vent Kit-Vertical - 4" (Galvanized)	0830102848-7
F102860	Vent Kit- Horizontal-4" (Stainless Steel)	08930102860-9
10371	24v Thermostat	856795001230
F102859	Decorative Grid Kit	089301003834
F102834	Install Kit (T-stat, Shut-Off Valve, Flex Connector, 1/2" Nipple)	089301028340

MOUNTING CLEARANCE TO COMBUSTIBLES

Top	Bottom	Burner Side	Exhaust Side	Reflector End	Burner End
Horizontal					
6"	54"	24"	24"	6"	24"
Angle (Hung Burner Side UP)					
6"	36"	36"	6"	6"	24"

ERXL (Single Stage) & ER2STG (Two-Stage) TUBE HEATERS

- 10-Year warranty*
- Available in 10 to 60 foot system lengths
- Aluminized 16 gauge steel tubing
- Outside or inside air for combustion
- Sealed burner control box
- Full cover polished aluminum reflector
- Reflectors install horizontally or at 45°
- Stainless steel couplers
- Chrome plated hanging brackets
- Underside burner sight glass
- All components are name-brand non-proprietary
- 24 Volt or line voltage thermostat install option
- Layout and design service available
- **NG burners include LP conversion kit**

* Warranty limited to 2 years in ammonia, chlorine, chemical exposure and car wash installations. See 2016 owners manual for complete details.



ERXL SINGLE STAGE HEATER BURNER BOXES

Stock #	Model #	BTU/HR	Gas
F102594XL	ERXL40-N	40,000	NG
F102595XL	ERXL40-LP	40,000	LP
F102650XL	ERXL60-N	60,000	NG
F102651XL	ERXL60-LP	60,000	LP
F102652XL	ERXL80-N	80,000	NG
F102653XL	ERXL80-LP	80,000	LP
F102654XL	ERXL100-N	100,000	NG
F102655XL	ERXL100-LP	100,000	LP

Stock #	Model #	BTU/HR	Gas
F102656XL	ERXL125-N	125,000	NG
F102657XL	ERXL125-LP	125,000	LP
F102658XL	ERXL150-N	150,000	NG
F102659XL	ERXL150-LP	150,000	LP
F102660XL	ERXL175-N	175,000	NG
F102661XL	ERXL175-LP	175,000	LP

ER2STG TWO STAGE HEATER BURNER BOXES

Stock #	Model #	BTU/HR	Gas
F102600	ER 2STG100-N	60,000 LOW - 100,000 HIGH	NG
F102602	ER 2STG100-LP	60,000 LOW - 100,000 HIGH	LP
F102605	ER 2STG125-N	80,000 LOW - 125,000 HIGH	NG
F102607	ER 2STG125-LP	80,000 LOW - 125,000 HIGH	LP
F102610	ER 2STG175-N	125,000 LOW - 175,000 HIGH	NG
F102612	ER 2STG175-LP	125,000 LOW - 175,000 HIGH	LP

ALL NG BURNERS INCLUDE LP CONVERSION KIT

TUBE SETS MIX & MATCH WITH ERXL & ER2STG BURNER BOXES

MOUNTING CLEARANCE TO COMBUSTIBLES

Stock #	Use with Burner Box models	Length	Top Horizontal	Top 45° Angle	Straight Below	Sides	Typical Mounting Height	Shipping Weight (lbs.)
F106408XL	ERXL40 (10' Turbulator)	10'	6"	12"	55"	30"	10-14'	90
F106404XL	ERXL60/80 (10' Turbulator)	20'	6"	18"	55"	36"	12-15'	110
F106405XL	ERXL80 (10' Turbulator)	30'	6"	18"	55"	36"	12-15'	110
F106401XL	ERXL100 (5' Turbulator) or ER2STG100 N/LP	30'	6"	18"	74"	36"	12-15'	130
F106406XL	ERXL100/125 or ER2STG125 N/LP	40'	6"	18"	87"	36"	14-19'	150
F106407XL	ERXL125/150/175 or ER2STG125/175 N/LP	50'	6"	18"	87"	36"	15-25'	170
F106403XL	ERXL150/175 or ER2STG175 N/LP	60'	6"	18"	87"	36"	15-25'	190

Tube sets include: Tubes, reflectors, hangers, couplers, & vent adapter, plus turbulator where necessary

ACCESSORY KITS

Stock #	Description
F102603	*Installation kit for 30' unit (ER 2STG100)
F102604	*Installation kit for 40' unit (ER 2STG125)
F102606	*Installation kit for 50' unit (ER 2STG125/175)
F102608	*Installation kit for 60' unit (ER 2STG175)
F102834	*Installation kit for GSP units (includes thermostat, shut-off valve, flex connector & chain kit)

Stock #	Description
F111751	*Installation kit for 20' unit(ERXL-60, 80)
F111752	*Installation kit for 30' unit(ERXL-80, 100)
F111753	*Installation kit for 40' unit(ERXL-100, 125)
F111754	*Installation kit for 50' unit(ERXL 125,150, 175)
F111755	*Installation kit for 60' unit (ERXL 150, 175)

***Installation kits include vent cap, thermostat, shut-off valve, SS flex connector & chain kits.**

Stock #	Description
F106414	180° U-Tube Kit
F106415	90° Elbow Kit
14585P	Hanger Kit (2 per 10')
17370	Chain Kit (1 per 10')

Stock #	Description
00438	Side Reflector Kit
F102601	ER2STG Thermostat
10371	24V Thermostat
10392	120V Thermostat

HIGH INTENSITY INFRARED HEATERS

RESTAURANT/PATIO HIGH INTENSITY INFRARED HEATERS

- 30,000 BTU Burner
 - Decorative grate protects burners from damage & acts as a wind guard
 - Black, satin gloss painted body and reflectors**
 - 120V 24V / 40VA Transformer included loose in box
 - Mounts horizontal or at 45° angle - mounting brackets included (black)
 - Spark ignition
 - Operates with 24V or 120V thermostats
 - No direct venting required
 - Warranty: pro-rated 3 year (burner assembly), limited 1 year (gas control)
 - Made from corrosion resistant materials – durable, rugged construction
- (Convert 30,000 Btu/hr to 40,000Btu/hr using optional orifice #05443)



Stock #	Model #	BTU/HR	Gas
F140625	HSRR30SPNG	30,000	NG
F140627	HSRR30SPLP	30,000	LP

CONVERSION KIT

Stock #	Description
05443	Converts all 30,000 Btu/hr to 40,000 Btu/hr

STANDARD SERIES HIGH INTENSITY INFRARED HEATERS

- Durable - rugged construction
- Instant heat - quiet, clean, odor-free operation
- Maintenance free - no moving parts to service
- CSA certified
- Limited 1-year warranty on gas control
- Limited 10-year warranty on burner assembly
- No direct venting required
- Multiple BTU outputs (conversion orifices included)
- Spark ignition heaters ship with 40VA transformer
- Millivolt control heaters shipped with thermostat
- Non corrosive materials used throughout construction



DECORATIVE KITS

Stock #	Description
F104440	4000 Series Decorative Grid Kit
F104441	4000 Series Decorative Grid kit, retro-fit
F104445	8000 Series Decorative Grid Kit
F104446	8000 Series Decorative Grid kit, retro-fit
F104435	GRID KIT, HS25N/HS22L
F104436	RETRO FIT GRID KIT, HS25N/HS22L-REFLECTOR

Optional Accessories:

F114581 Hanging bracket, 17374 - Chain hanging kit, 10371 - 24V thermostat

4000 SERIES HIGH INTENSITY INFRARED HEATERS

Stock #	Model #	BTU/HR	Gas
F140629	HS4040SPNG	40,000	NG
F140626	HS4040PPNG	40,000	NG
F140731	HS4040SPLP	40,000	LP
F140727	HS4040PPLP	40,000	LP

NOTE: ALL 4040 HEATERS COME WITH AN EXTRA ORIFICE TO CONVERT TO 30,000 BTU'S.

8000 SERIES HIGH INTENSITY INFRARED HEATERS

Stock #	Model #	BTU/HR	Gas
F180629	HS8060SPNG	60,000	NG
F180626	HS8060PPNG	60,000	NG
F180731	HS8060SPLP	60,000	LP
F180727	HS8060PPLP	60,000	LP

NOTE: ALL 8060 NG HEATERS COME WITH EXTRA ORIFICES TO CONVERT TO 50,000 or 70,000 BTU'S. (70,000 BTU only available in NG)
NOTE: ALL 8060 LP GAS HEATERS COME WITH AN EXTRA ORIFICE TO CONVERT TO 50,000 BTU'S.

9000 SERIES HIGH INTENSITY INFRARED HEATERS

Stock #	Model #	BTU/HR	Gas
F191830	HS9100SSPNG	100,000	NG
F191826	HS9100SPPNG	100,000	NG
F191931	HS9100SSPLP	100,000	LP
F191927	HS9100SPPLP	100,000	LP

Stock #	Model #	BTU/HR	Gas
F190630	HS9120SPNG	120,000	NG
F190626	HS9120PPNG	120,000	NG
F190731	HS9120SPLP	120,000	LP
F190727	HS9120PPLP	120,000	LP

NOTE: ALL 9000S HEATERS COME WITH EXTRA ORIFICES TO CONVERT TO 80 OR 90,000 BTU'S.
NOTE: ALL 9120NG HEATERS COME W/ EXTRA ORIFICES TO CONVERT TO 100,000 OR 140,000 BTU'S. (140,000 BTU only available in NG)
ALL 9120LP HEATERS COME W/EXTRA ORIFICE TO CONVERT TO 100,000 BTU'S.

Optional controls available, contact factory for details.

CONTROL SYSTEMS AVAILABLE

Suffix	Description	Gas
SP	Automatic Spark Ignition on pilot with safety burner shutoff, 24VAC control with intermittent pilot. (Pilot is off when heater is off) Transformer 120V/24V shipped loose with heater	Natural/Propane
PP	Power pile (self-generating) millivolt control. No outside electrical source is required to turn heater on and off. Manually lit pilot. Safety shutoff on pilot and burner. Thermostat shipped loose with heater.	Natural/Propane

GARAGE/WORKSHOP HEATERS

- Economical - no electricity required
- Convenient - easy to operate and install
- Maintenance free - no moving parts to service
- Limited 1-Year warranty on gas control
- Limited 5-Year warranty on burner
- Quiet, clean, odor-free operation
- Includes thermostat
- CSA certified




Stock #	Model #	BTU/HR	Gas
F125444 (Aluminum Housing)	H25N	25,000	NG
F125545 (Aluminum Housing)	H22L	22,000	LP



PORTABLE PROPANE TANK TOP HEATERS

Stock #	Model #	BTU/HR
F242540	MH540	48,000

- Operates on 360° angle or tilted to 180°
- 3 heat settings: 29,000, 36,000, 48,000 BTU's
- No electricity needed
- Instant, efficient outdoor heat
- Quiet, easy to use
- No assembly required
- Tip-over safety shut-off
- Outdoor use only
- CSA certified



Stock #	Model #	BTU/HR
F242100	MH15T	10,000-15,000
F242650	MH30T	10,000-30,000
F242915	MH45T	10,000-45,000

- Tip-over safety shut-offs • Soft nose P.O.L.
- Premium grade stainless steel burning surface
- Direct connection to 20 lb. bulk propane tank
- Can operate burners individually
- Directional, adjustable heads
- Polished chrome reflector
- Outdoor use only
- CSA certified



Stock #	Model #	BTU/HR
F242010	MH4GC	4,000

- 4,000 BTU, operates up to 5.5 hours on 1 lb. cylinder (not included)
- Wind resistant protective screen
- High-intensity radiant heat
- Safety systems- oxygen depletion system and tip-over safety switch
- Outdoor use only
- CSA Certified



PORTABLE BUDDY PROPANE HEATERS

Stock #	Model #	BTU/HR
F215100	MH4B (Indoor Safe)	3,800
F215120	MH4B (Massachusetts/Canada Only)	3,800

- One button ignition/on function
- Tip-over safety shut-off
- 8" round stand uses little floor space
- Low oxygen safety shut-off system
- Heats up to 95 sq. ft.
- Connects directly to one 1 lb. cylinder
- Runs approx. 5.6 hours on 1 lb. cylinder
- CSA certified



Stock #	Model #	BTU/HR
F232000	MH9BX (Indoor Safe)	4,000 and 9,000
F232050	MH9BX (Massachusetts/Canada Only)	4,000 and 9,000

- Swivel regulator and single control
- Fold down handle
- Hi-Low heat settings
- Low oxygen safety shut-off system (ODS)
- Tip-over safety shut-off
- Heats up to 225 sq. ft.
- Runs off a 1 lb. cylinder, connects to a 20lb. tank with optional hose and filter
- Runs 5 hours on 1 lb. cylinder
- CSA Certified



Optional Accessories:

- F273704 10' Buddy hose (No filter required)
- F173701 5' hose assembly (Filter required)
- F173702 12' hose assembly (Filter required)
- F273699 Fuel filter
- F232078 9BX Portable Buddy Carry Bag



Stock #	Model #	BTU/HR
F232035	MH12HB (Indoor Safe)	6,000 and 12,000
F232045	MH12HB (Massachusetts/Canada Only)	6,000 and 12,000

- Quiet electronic ignition
- Swivel regulator and single control
- Fold down handle • Hi-Low heat settings
- Heavy Duty burner guard
- Low oxygen safety shut-off system (ODS)
- Tip-over safety shut-off
- Runs off a 1 lb. cylinder, connects to a 20lb. tank with optional hose and filter
- Storage space for spare 1 lb. cylinder
- Runs 3.5 hrs on 1 lb. cylinder
- Heats up to 300 sq. ft.
- CSA certified



Optional Accessories:

- F273704 10' Buddy hose (No filter required)
- F173701 5' hose assembly (Filter required)
- F173702 12' hose assembly (Filter required)
- F273699 Fuel filter



Stock #	Model #	BTU/HR
F274800	MH18B (Indoor Safe)	4,000, 9,000 and 18,000
F274865	MH18B (Massachusetts/Canada Only)	4,000, 9,000 and 18,000

- Quiet electronic ignition
- Swivel regulator and single control
- Fold down handle
- Hi-Low heat settings
- Heavy Duty burner guard
- Low oxygen safety shut-off system (ODS)
- Tip-over safety shut-off
- Runs off a 1 lb. cylinder, connects to a 20lb. tank with optional hose and filter
- Storage space for spare 1 lb. cylinder
- Runs 3.5 hrs on 1 lb. cylinder
- Heats up to 300 sq. ft.
- CSA certified



Optional Accessories:

- F273704 10' Buddy hose (No filter required)
- F173701 5' hose assembly (Filter required)
- F173702 12' hose assembly (Filter required)
- F273699 Fuel filter
- F271802 Quick disconnect hose for regulated tanks
- F271803 Tank to quick disconnect hose (No filter required)
- F276167 AC adapter

* Fan not required for use
All Buddy heaters have a
7000 ft High Altitude Restriction



GAS UNIT HEATERS

Stock #	Model #	BTU/HR
F160550	HSU50	50,000
F160560	HSU80	80,000
F160490	HSU125	125,000



- Requires only 1" clearance from ceiling
- Indoor safe
- Ships as NG, includes NG to LP conversion kit*
- Spark ignition features self-diagnostic control module
- Includes angle brackets (2) for ceiling mount
- 4" flue size for vertical vent - 4" for horizontal
- Category 1 vertical; Category 3 horizontal venting
- CSA certified

All units are natural gas heaters with propane conversion kit included*

*Conversion should be done by a certified installer. Detailed instructions are included.


NOMAD™ DUAL FUEL BOX HEATERS

- Multi-rate heat settings - High/Low
- Dual fuel (NG/LP)
- Higher CFM
- Easy reset high limit switch
- Choose rate and fuel with flip of a switch
- Flexible diffuser connector system
- Short and long ducts available
- Solid foam tires
- Very quiet operation
- CSA certified



Stock #	Model #	BTU/HR NG	BTU/HR LP
F109100	HS115TC	108,000	111,000
F109110	HS190TC	184,000	190,000
F109120	HS250TC	250,000	250,000

Stock #	Diffuser Kits	Description
F109105	Diffuser kit for HS115TC	12" diameter diffuser
F109115	Diffuser kit for HS190TC or HS250TC	16" diameter diffuser
Adapter Rings		
F109106	Duct adapter ring for HS115TC	12" diameter connector ring
F109116	Duct adapter ring for HS190TC or HS250TC	16" diameter connector ring
Ducts		
F109107	Short duct for HS115TC	30" siliconized flex duct, 12" diameter
F109117	Short duct for HS190TC or HS250TC	30" siliconized flex duct, 16" diameter
F109108	Long duct for HS115TC	10' siliconized flex duct, 12" diameter
F109118	Long duct for HS190TC or HS250TC	10' siliconized flex duct, 16" diameter
Storage		
F109119	Painted steel storage box optional for HS190TC/HS250TC	31 1/4" x 20 1/4" x 10" box with lock hasp



SILVER BULLET FEATURES

- CO2 Generator
- High Grade Stainless Steel Exterior & Burner
- Easy Installation
- 99% Fuel Efficiency
- Automatic Ignition (Easy to operate)
- On-board Diagnostics
- NG-LP Gas Nozzles
- Flame Sensor
- Air Pressure Switch
- Failure Alarm
- High Limit Switch
- Low Voltage Shut-off (Protects motor, Prevents CO build up)
- IP65 Grade Dust & Water Protection



Stock #	Model #	BTU/HR	Power
F130105	HS250AG	250,000	110V-5.0A
F130110	HS400AG	400,000	110V-9.5A
F130115	HS408AG	400,000	208-230V-5.0A

AVAILABLE OPTIONS

- Delayed Start Relay
- Hard Wired Remote Control
- Interface Connection to Remote Computer
- Spark Ignition Drying System
- Remote Failure Alarm
- Remote Thermostat

HEATSTAR CONSTRUCTION HEATERS

FORCED AIR KEROSENE/OIL, DIRECT FIRED HEAVY DUTY

Stock #	Model #	BTU/HR
F170250	HS50K	50,000
F170275	HS75KT	75,000
F170325	HS125KT	125,000
F170375	HS175KT	175,000
F170380	HS210KT	210,000

- 25% heavier gauge steel
- Octagonal barrel for strength
- Solid foam flat-free tires
- Large fuel tank



FORCED AIR PROPANE/NATURAL GAS, DIRECT FIRED HEAVY DUTY



- 25% heavier gauge steel

PROPANE

Stock #	Model #	BTU/HR
F227900	MH35CLP (Cordless)	35,000
F227810	MH60CLP (Cordless)	60,000
F170035	HS35FA	35,000
F170085	HS85FAV	50,000 - 85,000
F170125	HS125FAV	75,000 - 125,000
F170170	HS170FAVT	125,000 - 170,000
F172425	HS400FAVT	250,000 - 400,000

NATURAL GAS

Stock #	Model #	BTU/HR
F170180	HS170NG	150,000
F151200	HS4000NG/LP	400,000

INDIRECT-FIRED PRO SERIES JOB-SITE HEATERS



Stock #	Model #	BTU/HR
F105105	HSP70ID	70,000
F105110	HSP100ID	122,000
F105115	HSP200ID	180,000
F105120	HSP300ID	285,000

Stock #	Model #	BTU/HR
F105125	HSP500ID-A	400,000 (MAX 500,000)
F105135	HSP400ID-G	399,000


*Ducts, adapters, diffusers, and thermostats sold separately.

CONVECTION JOB-SITE HEATERS

Stock #	Model #	BTU/HR
F170470	HS80CVX	30,000 - 80,000 (LP)
F170473	HS100CVNG	50,000 - 100,000 (NG)
F170475	HS200CVX	75,000 - 200,000 (LP)



OIL FIRED RADIANT JOB-SITE HEATERS



RADIANT HEAT



Stock #	Model #	BTU/HR
F170700	HS35LP	35,000
F170800	HS125LP	125,000
F105155	HSP60R	58,000
F105171	HSP125R	125,000
F105160	HSP150R	102,000/146,900

DEWALT CORDLESS JOB-SITE HEATERS



**PORTABLE HEAT.
WHERE YOU NEED IT.
WHEN YOU NEED IT.**

PORTABLE RADIANT HEATER

Stock #	Model #	BTU/HR
F332000	DXH12B	9,000 - 12,000



3 USB ports to charge portable electronics & accessories



Integrated high speed fan to quickly circulate heat



Powerful LED light bar provides ideal working conditions

- Tip-over safety switch
- Dual tank capacity for 7 hour run-time
- Powered by the 20V MAX® & FLEXVOLT® family of DEWALT batteries
- AAA battery included for igniter
- CSA Certified Indoor Safe



FORCED AIR PROPANE CORDLESS



Stock #	Model #	BTU/HR	Gas Hose
F340660	DXH70CFAV	27,000 - 68,000	10'
F340665	DXH70CFAV (Canada only)	27,000 - 68,000	15'

DeWalt Cordless heaters works with all 20V Max® & FlexVolt® batteries. Battery & charger sold separate.

FORCED AIR KEROSENE/OIL, DIRECT FIRED HEAVY DUTY

Stock #	Model #	BTU/HR
F340670	DXH50K	50,000
F340675	DXH75KT	75,000
F340680	DXH135KT	135,000
F340685	DXH185KT	185,000
F340690	DXH135HD	135,000
F340695	DXH190HD	190,000
F340700	DXH215HD	215,000



FORCED AIR PROPANE, DIRECT FIRED HEAVY DUTY

Stock #	Model #	BTU/HR
F340705	DXH40FA	40,000
F340710	DXH65FAV	35,000 - 65,000
F340715	DXH90FAV	50,000 - 90,000
F340720	DXH125FAV	10,000 - 125,000
F340725	DXH150FAV	100,000 - 150,000
F340730	DXH170FAVT	125,000 - 170,000
F340735	DXH210FAVT	160,000 - 210,000



All DeWalt Forced Air Propane Heaters come standard with Quiet Burner Technology (QBT) making them 50% quieter than standard forced air propane heaters.



RADIANT JOB-SITE HEATERS




Stock #	Model #	BTU/HR
F340620	DXH45LP	45,000



HEAVY DUTY ELECTRIC HEATERS

- Industrial housing - electrostatic powder-coat finish ensures long life and protection for internal components
- Dual coil support - eliminates coil rattle and reduces coil stress
- Two-stage operation - built for versatile applications
- Thermostatically controlled - can be operated unattended
- L.E.D. heat indicator light - easily identify when in operation



Stock #	Model #	BTU/HR (Kw)	Volt
F340635	DXH165	5,630 (1.65)	120V (Single phase)
F340640	DXH330	11,260 (3.3)	240V (Single phase)
F340645	DXH1000TS	23,884-Lo/34,121-Hi (7-Lo/10-Hi)	240V (Single phase)
F340650 (Cart included)	DXH2000TS	44,357-Lo/68,242-Hi (13-Lo/20-Hi)	240V (Single phase)
F340655 (Cart included)	DXH20003TS	44,357-Lo/68,242-Hi (13-Lo/20-Hi)	240V (Three phase)

HAND & FOOT WARMING PRODUCTS

HAND WARMERS

Model #	Description	UPC
F235011	Hand Warmers 40 individual pair per display box	08930100206-7
F235012	Hand Warmers 12 - 10 pk per display box	08930100234-0

XL WARMERS


Model #	Description	UPC
F235076	XL Warmers 40 individual pair per display box	08930100208-1
F235077	XL Warmers 12 - 10 pk per display box	08930100236-4

TOE WARMERS

Model #	Description	UPC
F235051	Toe Warmers 30 individual pair display box	08930100207-4
F235052	Toe Warmers 15 - 8 pk per display box	08930100235-7

FULL FOOT WARMERS

Model #	Description	UPC
F235091	Full Foot Warmers 30 individual pair pk per display box	08930100249-4



PEEL



STICK

PORTABLE PROPANE STOVES



Stock #	Description
F235825	Single Burner Angle Iron Stove
F235830	Double Burner Angle Iron Stove
F235835	Triple Burner Angle Iron Stove
F173071	5' Propane Hose Assembly
F173072	12' Propane Hose Assembly



PORTABLE PROPANE TORCHES



Stock #	Model #	BTU/HR	Ignition
F272601	MH400PT	400,000	Striker
F272602	HS190TC	500,000	Striker
F272603	MH500DPT	500,000	Piezo



- Needle valve adjustment
- Excess flow P.O.L. fitting
- 10' hose included
- Bulk display cartons
- CSA certified

PORTABLE PROPANE SHOWER SYSTEMS



Stock #	Model #	BTU/HR
F235300	XB13	12,000
F235325	XW18	17,000
F235350	XCW20	18,000



Optional Accessories:

- F273701 5' hose assembly
- F273702 12' hose assembly

Bulk Stock #	Description - 1 Per Pack	Stock # Clamshell
73827	Horizontal Propane Two Stage Regulator	F173868
73863	Horizontal Propane Two Stage Regulator w/ POL	F173863
73763	Vertical Propane Two Stage Regulator	F173763
73767	Propane Low Pressure Regulator (up to 160,000 BTU)	F173767
73655	Excess Flow Soft Nose POL x 1/4" Male Pipe	F173655
73762	Full Flow Soft Nose POL x 1/4" Male Pipe	F173762
76497	Propane Acme Nut (Green) Up To 200,000 BTU	F176497
711633-30	30" Propane Hose Assembly (3/8" Male Pipe Thread x 3/8" Female Flare) Clamshell	F171163-30
711633-60	60" Propane Hose Assembly (3/8" Male Pipe Thread x 3/8" Female Flare) Clamshell	F171163-60
71169-XX XX = Inches	Propane 3/8" ID Hose Assembly (3/8" Female Flare x 3/8" Female Flare **Available in Bulk Only** Lengths (XX) Available in 12", 18", 30", 36", 48", 60", and 72"	N/A
71473-XX XX = Inches	Propane 3/8" ID Hose Assembly (3/8" Female Flare x 3/8" Female Flare) Lengths (XX) Available in 40" and 72"	N/A
F1758-XX XX = Inches	Propane Hose Assembly (Green Acme Nut x 1/4" Male Inverted Flare) - Lengths (XX) Available in 12", 15", 18", 20", 24", 30", 36", 48", and 60"	N/A
N/A	2 Tank Hook Up Kit 30" Hose (2x) POL Hose x POL Adapter Tee	F171163-60

TUBE HEATER INSTALLATION KITS & CONNECTIONS

Bulk Stock #	Description - 1 Per Pack
16405	3/4" ID Stainless Steel Flex Gas Connector w/ fittings
16405	3/4" Gas Shut Off Valve
16401	1/2" ID Stainless Steel Flex Gas Connector w/ fittings
16359	1/2" Gas Shut Off Valve

*Installation kits include: 24V thermostat, vent Cap, 24" 1/2"ID stainless steel flex gas connector, gas shut off valve and chain kits required to hang heater

Bulk Stock #	Description - 1 Per Pack
F111751	Installation Kit for 20' Tube Heater
F111752	Installation Kit for 30' Tube Heater
F111753	Installation Kit for 40' Tube Heater
F111754	Installation Kit for 50' Tube Heater
F111755	Installation Kit for 60' Tube Heater

PROPANE HOSES, FITTINGS, & REGULATORS

Bulk	Content description - 1 Unit Per Package	Clamshell
N/A	12' RV Quick Connect Hose Assembly (Male QC plug x 1"20 Male)	F171117
71138-20	20" Propane Hose Assembly Green Acme x 1/4" MP)	F171138-20
71144-60	5' Propane Hose Assembly (Excess Flow POL x 1/4" Male Inverted Flare)	F171144-60
71144-144	12' Propane Hose Assembly (Excess Flow POL x 1/4" Male Inverted Flare)	F171144-144
71149-36	3' Propane Hose Assembly (3/8" Female Flare x 3/8" Female Flare)	F171149-36
71149-72	6' Propane Hose Assembly (3/8" Female Flare x 3/8" Female Flare)	F171149-72
71158-12	12" Propane Hose Assembly (Green Acme Nut x 1/4" Male Inverted Flare)	F171158-12
71158-15	15" Propane Hose Assembly (Green Acme Nut x 1/4" Male Inverted Flare)	F171158-15
71158-18	18" Propane Hose Assembly (Green Acme Nut x 1/4" Male Inverted Flare)	F171158-18
71158-20	20" Propane Hose Assembly (Green Acme Nut x 1/4" Male Inverted Flare)	F171158-20
71158-24	2' Propane Hose Assembly (Green Acme Nut x 1/4" Male Inverted Flare)	F171158-24
71158-30	30" Propane Hose Assembly (Green Acme Nut x 1/4" Male Inverted Flare)	F171158-30
71158-36	3' Propane Hose Assembly (Green Acme Nut x 1/4" Male Inverted Flare)	F171158-36
71158-48	4' Propane Hose Assembly (Green Acme Nut x 1/4" Male Inverted Flare)	F171158-48
71158-60	5' Propane Hose Assembly (Green Acme Nut x 1/4" Male Inverted Flare)	F171161
71161	22" Replacement BBQ Hose and Regulator	F171161
71163-30	30" Propane Hose Assembly (3/8" Male Pipe Thread x 3/8" Female Flare)	F171163-30
71163-60	5' Propane Hose Assembly (3/8" Male Pipe Thread x 3/8" Female Flare)	F171163-60
71715P	Propane "Y" Male Adapter (POL x (2) Male 1"20 Throwaway Fittings)	F171715
71735P	Propane "Y" Female Adapter (POL x (2) Acme Threads / POL Threads)	F171735
N/A	Tank Foot® Tank Stabilizer (6 packs only)	F173169
73655	Excess Flow Soft Nose POL x 1/4" Male Pipe	F173655
73701	5' Propane Hose Assembly (POL x Male 1"20 Throwaway Cylinder Threads)	F173701
73702	12' Propane Hose Assembly (POL x Male 1"20 Throwaway Cylinder Threads)	F173702
73703-60	5' Propane Hose Assembly (Acme Nut x Male 1"20 Throwaway Cylinder Threads) Bulk	F173703-60
73703-144	12' Propane Hose Assembly (Acme Nut x Male 1"20 Throwaway Cylinder Threads)	F173703-144
73710	5' Propane Hose Assembly (Swivel 1"20 Male Throw-away Cylinder x Swivel 1"20 Female Throwaway Cylinder)	F173710
73711	12' Propane Hose Assembly (Swivel 1"20 Male Throwaway Cylinder x Swivel 1"20 Female Throw-away Cylinder)	F173711
73714	Stay Flow RV Hose and Adapter Kit	F173714

Bulk	Content description - 1 Unit Per Package	Clamshell
73717	5' Propane Extension Hose Assembly (1/4" Male Pipe x 1/4" Female Pipe)	F173717
73891	Propane Regulator 0-20 psi High Pressure	F173719
73729	1/4" Male Pipe Thread x 1/4" Inverted Female Flare	F173729
N/A	Stay A While RV Hose and Adapter Kit	F173733
N/A	Stay A While Deluxe RV Hose and Adapter Kit	F173734
N/A	Stay Flow Plus RV Hose and Adapter Kit	F173735
N/A	2 Tank Hook Up Kit (30" (2x) POL Hose x POL Adapter Tee)	F173737
73751P	Brass Propane Adapter Tee	F173751
73752	Brass Stay A While Tee	F173752
73753	90° Stay Flow Adapter	F173753
73754	Propane Adapter (1/4" Male Pipe x 1"20 Female Throwaway Cylinder Threads)	F173754
73755	Propane Adapter (1/4" Male Pipe x 1"20 Male Throw-away Cylinder Threads)	F173755
73758	Propane Bulk Tank Adapter (Male POL x 1"20 Male Throwaway Cylinder Threads)	F173758
73760	90° Elbow Adapter (Male POL x 1"20 Male Throwaway Cylinder Threads)	F173760
73762	Full Flow Soft Nose POL x 1/4" Male Pipe	F173762
73763	Vertical Propane Two Stage Regulator	F173763
73766	Propane Auto-Changeover Two Stage Regulator	F173766
73767	Propane Low Pressure Regulator (up to 160k BTU)	F173767
73791	1/4" Male Pipe Thread x Female POL w/ Acme Thread	F173791
73831	30 psi High Pressure LP Regulator 1/4" FP In and Outlets	F173830
73863	Horizontal Propane Two Stage Regulator w/ POL	F173863
73827	Horizontal Propane Two Stage Regulator	F173868
76130	9/16" LH Male Pipe Threads x 1"20 Throwaway Cylinder Threads	F176130
76136	Propane Low Pressure Regulator (up to 75k BTU)	F176136
76140	1"20 Throwaway Cylinder Threads x 1/4" Female Pipe Threads	F176140
76152	1/4" Male Pipe Threads x 9/16" LH Male Threads	F176152
76153	3/8" Male Pipe Threads x 9/16" LH Male Threads	F176153
76154	9/16" Male Pipe Threads x 9/16" LH Male Threads	F176154
76171	Propane "Steak Saver" Adapter	F176171
N/A	1/4" Full Flow Male Plug x 1/4" Propane/Natural Gas Connector w/ Shut Off Valve	F176181
N/A	3/8" Full Flow Plug x Propane/Natural Gas 3/8" Quick Connect	F176187
N/A	1/4" Full Flow Male Plug x 1/4" Propane/Natural Gas Connector	F176190
76262	3/8" Male Pipe Thread x 3/8" Male Flare Connector	F176262
76281	1/4" Full Flow Male Plug	F176281
76350	Propane Gas Gauge	F176342
N/A	Propane 1"20 Thread Brass Caps (2 pack)	F176400
76495	Propane Acme Nut (Black) Up To 80k BTU	F176495
76497	Propane Acme Nut (Green) Up To 200k BTU	F176497

HIGH PRESSURE L.P. GAS HOSE (BULK REELS)

Stock #	Normal I.D. (in)	Normal O.D. (in)	Max W.P. (psi)	Wt. Per Ft.	Standard Pkg Qty
76208	1/4"	0.505"	350	.078 lbs	500'
76209	5/16"	0.56"	350	.099 lbs	500'
76210	3/8"	0.65"	350	.119 lbs	500'
76211	1/2"	0.79"	350	0.17	300'

- 1/4", 5/16", 3/8" I.D. High Pressure Hose
- Applications: Outdoor Gas Grills, RV Hose, Turkey Fryers, Fish Cookers, Torches, Patio & Portable Heaters.
- 1/2" I.D. Heavy Duty High Pressure Hose
- Heater Connectors, RV Trunk Line Connections, Large Volume LPG Generators, Construction Heaters, Temporary Supply Connectors, On-Site Incinerators, Hot Tar Roofing Kettle Supply, Delivery Hoses.
- 1lb custom order hoses available
- Largest Domestic Manufacturer of L.P. Gas Hose.
- L.P. Gas Hose for Outdoor Cooking, RV's and Heating Appliances. Available in Bulk, Finished Hose Assemblies, or Cut-Lengths.

COMMON LP GAS THERMO PLASTIC HOSE ASSEMBLIES

1/4" ID Hose Complete Assemblies	
71142 Series	1/4" Inverted Male Flare x Full Flow P.O.L. w/ Handwheel
71142-XX	Available in 15", 20", 30" and 36"
*71144 Series	1/4" Inverted Male Flare x Excess Flow Soft Nose P.O.L.
71144-XX	Available in 12", 15", 18", 24", 30", 36", 48", 60", 72", 120" and 144"
*71149 Series	3/8" Female Flare Fittings at Both Ends
71149-XX	Available in 12", 18", 24", 36", 48", 60", 72", 84", 96", 120", 144", 180" and 240"
71152 Series	3/8" Male Pipe at Both Ends
71152-XX	"Available in 22"
*71153 Series	1/4" Male Pipe at Both Ends
71153-XX	Available in 14", 22", 24", 36" and 300"
*71158 Series	Green Appliance End Fitting x 1/4" Inverted Male Flare
71158-XX	Available in 12", 15", 18", 24", 30", 36", 48", 60" and 144"
71156 Series	Soft Nose P.O.L. x 1/4" Male Pipe Thread
71156-XX	"Available in 18"
*71163 Series	3/8" Female Flare x 3/8" Male Pipe Thread
71163-24	Available in 24", 30", 36", 48", 60", 72", 96", 144", and 180"
*71168 Series	3/8" Male Flare Fittings at Both Ends
71168-XX	Available in 24", 36", 48", 60" and 144"
71178 Series	3/8" Male Pipe x 3/8" Female Pipe
71178-XX	Available in 24", 36", 48", 60", 72" and 144"
*71187 Series	3/8" Male Flare x 1/4" Female Pipe Thread
71187-XX	Available in 24", 36", 48", and 60"
71189 Series	1/4" Female Pipe at Both Ends
71189-XX	"Available in 36"
*71191 Series	3/8" Male Pipe Thread x 3/8" Male Flare
71191-XX	Available in 24", 36", 48", and 60"
*71198 Series	3/8" Male Flare x 1/4" Male Pipe Thread
71169-XX	Available in 24", 36", 48", and 60"
71474 Series	1/4" Male Pipe Thread x 1/4" Female Pipe Thread
71474	"Available in 15' (Ft)
71475 Series	1/4" Male Pipe x Excess Flow P.O.L.
71475	"Available in 12' (Ft)
71477 Series	1/4" Female Pipe x Excess Flow P.O.L.
71477	Available in 12' (Ft)

3/8" ID Hose Complete Assemblies	
71120 Series	3/8" Female Flare Fitting x 3/8" Male Pipe
71120	"Available in 40"
*71169 Series	"3/8" Female Flare Fittings at Both Ends
*71169-12	Available in 12", 18", 24", 30", 36", 48", 60", 72", 84", 96", 108", 120", 132", 144", 180", 240" and 300"
71180 Series	(3/8" Female Flare x 1/4" Male Pipe Thread) (3/8" ID High Pressure Hose)
71180-XX	"Available in 36"
71470 Series	"(3/8" Male Pipe Thread x 3/8" Female Pipe Thread)
71470	"Available in 15' (Ft)
71473 Series	(1/2" Female Flare x 3/8" Male Pipe Thread) (3/8" ID High Pressure Hose)
71473-XX	"Available in 40" and 72"

LPG FITTINGS/COUPLINGS

	Hose ID Size	Ferrules
76259	1/4" ID	Ferrule Brass for 1/4" Thermoplastic
76269	1/4" ID	Ferrule Stainless Steel for 1/4" Thermoplastic
76254	3/8" ID	Ferrule Brass for 3/8" Thermoplastic
76270	3/8" ID	Ferrule Stainless Steel for 3/8" Thermoplastic
		Please call for 5/16" and 1/2" Ferrules
	Hose ID Size	Hose Barb x Pipe Fittings
76222	1/4" ID	BARB 1/4 ID X 1/4MP
76223	1/4" ID	BARB 1/4 ID X3/8MP
76220P	1/4" ID	BARB 1/4 ID X 3/8FP
76219	1/4" ID	BARB 1/4 ID X 1/4FP
76233	3/8" ID	BARB 3/8 ID X 3/8MP
76283	3/8" ID	BARB 3/8 ID X 1/4MP
76288P	3/8" ID	BARB,3/8ID X 3/8 FP Swivel
	Hose ID Size	Hose Barb x Flare Fittings
76224	1/4" ID	BARB 1/4 ID X 1/4 FFS
76225	1/4" ID	BARB 1/4 ID X 3/8SAE FF
76226	1/4" ID	BARB 1/4 ID X 3/8 SAE MF
76227	1/4" ID	BARB 1/4 ID X 1/4 INVERTED FLARE
76289	3/8" ID	BARB 3/8 ID X 1/2FF SW
76235	3/8" ID	BARB 3/8 ID X 3/8SAE FF 45D

* = UL or CSA listed Assemblies UL 569 and CGA listed Hose Assemblies (less than 60") / UL 21 are 61" or Longer in Length. These assemblies have a working pressure of 350psi with a 1750psi burst rating
 When ordering above listed hose assemblies, please use stock number shown then a dash with the two digit size marked after the dash in inches. Examples: 71163-12. This is a 12 inch 71163 hose assembly. / 71163-15 This is a 15 inch 71163 hose assembly. Note: All hoses are 1/4" inside diameter except for the 71120, 71169 and 71473 Series, which is 3/8" inside diameter. Additional discounts may apply to larger volumes. Prices are subject to change without notice. Check with local rep or Enerco Factory consultant for custom sizes and other offerings.

TRUZERO LP GAS RUBBER HOSE



High Pressure Rubber Hose Designed to Meet UL21, CGA, Type1, EN, British-BS and ASTM Standards. Constructed from High Grade Aerospace Rubber Compounds. Resists wear 50% More than Other Leading Brands. Superior Cold Weather Flexibility to -65°F. Excellent for LPG Transportation, Vapor Lines, Plant Use, and Most Other Applications.

Part #	Hose Size	UL-21 REEL/COIL LPG HOSE (All ONE PIECE per COIL to minimize scrap)	1 CONTINUOUS ROLL LENGTH (ft)
960000	1/4" ID	1/4" X 200 FT COIL UL-21 LPG HOSE (smooth cover)	200' Coil
F960000	1/4" ID	1/4" X 200 FT UL-21 LPG HOSE (smooth cover)	200' Box
FR960000	1/4" ID	1/4" X 200 FT REEL UL-21 LPG HOSE (smooth cover)	200' Reel
960010	3/8" ID	3/8" X 200 FT COIL UL-21 LPG HOSE (smooth cover)	200' Coil
F960010	3/8" ID	3/8" X 200 FT UL-21 LPG HOSE (smooth cover)	200' Box
FR960010	3/8" ID	3/8" X 200 FT REEL UL-21 LPG HOSE (smooth cover)	200' Reel
F960020	1/2"	1/2" x 200 FT UL-21 COIL LPG HOSE (smooth cover)	200' Coil
960020	1/2" ID	1/2" X 200 FT UL-21 COIL LPG HOSE (smooth cover)	200' Coil
960030	3/4" ID	3/4" X 200 FT COIL UL-21 LPG HOSE (smooth cover)	200' Coil
960040	1" ID	1" X 200 FT COIL UL-21 LPG HOSE (smooth cover)	200' Coil
960045	1" ID	1" X 150 FT COIL UL-21 LPG HOSE (smooth cover)	150' Coil
960050	1 1/4" ID	1 1/4" X 100 FT COIL UL-21 LPG HOSE (wrapped cover)	100' Coil
F960050	1 1/4" ID	1 1/4" X 100 FT UL-21 LPG HOSE (wrapped cover)	100' Box
960055	1 1/4" ID	1 1/4" X 200 FT COIL UL21-LPG HOSE (smooth cover)	200' Coil
960060	1 1/2" ID	1 1/2" X 100 FT COIL UL-21 LPG HOSE (wrapped cover)	100' Coil
960070	2" ID	2" X 100 FT COIL UL-21 LPG HOSE (wrapped cover)	100' Coil
960080	3" ID	3" X 100 FT COIL UL-21 LPG HOSE (wrapped cover)	100' Coil

Construction:

Tube: Extruded Nitrile (NBR)

- Cover: Specially Compounded Neoprene (CR)
- .25" - 1" smooth covered
- 1.25" + wrap covered
- Reinforcement: Textile
- Min. Burst: 1,750 PSI (5:1)
- Working Temperature: -65°F to +180°F



Part #	Hose Size	UL-21 RUBBER HOSE ASSEMBLIES	
964050	3/4" ID	3/4" X 15FT ASSY, 3/4" MNPT x 3/4" MNPT, STEEL	Bulk pack
F964050	3/4" ID	3/4" X 15FT ASSY, 3/4" MNPT x 3/4" MNPT, STEEL	Individual Box
964055	3/4" ID	3/4" X 18FT ASSY, 3/4" MNPT x 3/4" MNPT, STEEL	Bulk pack
F964055	3/4" ID	3/4" X 18FT ASSY, 3/4" MNPT x 3/4" MNPT, STEEL	Individual Box
964000	3/4" ID	3/4" X 100FT ASSY, 3/4" MNPT x 3/4" MNPT, STEEL	Bulk pack
F964000	3/4" ID	3/4" X 100FT ASSY, 3/4" MNPT x 3/4" MNPT, STEEL	Individual Box
964001	3/4" ID	3/4" X 125FT ASSY, 3/4" MNPT x 3/4" MNPT, STEEL	Bulk pack
F964001	3/4" ID	3/4" X 125FT ASSY, 3/4" MNPT x 3/4" MNPT, STEEL	Individual Box
964002	3/4" ID	3/4" X 150FT ASSY, 3/4" MNPT x 3/4" MNPT, STEEL	Bulk pack
F964002	3/4" ID	3/4" X 150FT ASSY, 3/4" MNPT x 3/4" MNPT, STEEL	Individual Box
965060	1" ID	1" X 19 FT ASSY, 1" MNPT X 1" MNPT (TRANSPORT)STEEL	Bulk pack
F965060	1" ID	1" X 19 FT ASSY, 1" MNPT X 1" MNPT (TRANSPORT)STEEL	Individual Box
965000	1" ID	1" X 100FT ASSY, 1" MNPT x 1" MNPT, STEEL	Bulk pack
F965000	1" ID	1" X 100FT ASSY, 1" MNPT x 1" MNPT, STEEL	Individual Box
965001	1" ID	1" X 125FT ASSY, 1" MNPT x 1" MNPT, STEEL	Bulk pack
F965001	1" ID	1" X 125FT ASSY, 1" MNPT x 1" MNPT, STEEL	Individual Box
965002	1" ID	1" X 150FT ASSY, 1" MNPT x 1" MNPT, STEEL	Bulk pack
F965002	1" ID	1" X 150FT ASSY, 1" MNPT x 1" MNPT, STEEL	Individual Box
965003	1" ID	1" X 175FT ASSY, 1" MNPT x 1" MNPT, STEEL	Bulk pack
965004	1" ID	1" X 200FT ASSY, 1" MNPT x 1" MNPT, STEEL	Bulk pack

TRUZERO LP GAS RUBBER HOSE ASSEMBLIES



ITEM #	ITEM#	HOSE SIZE	UL-21 RUBBER HOSE ASSEMBLIES
Bulk Pack	Box Pack		
966050	F966050	1 1/4" ID	1 1/4" X 10FT ASSY, STEEL MNPT X MNPT
966055	F966055	1 1/4" ID	1 1/4" X 12FT ASSY, STEEL MNPT X MNPT
966060	F966060	1 1/4" ID	1 1/4" X 15FT ASSY, STEEL MNPT X MNPT
966065	F966065	1 1/4" ID	1 1/4" X 20FT ASSY, STEEL MNPT X MNPT
966064	F966064	1 1/4" ID	1 1/4" X 19FT ASSY, (TRANSPORT)MNPT X MNPT
966000	n/a	1 1/4" ID	1 1/4" X 100 FT ASSY MNPT X MNPT SMOOTH COVER
966001	n/a	1 1/4" ID	1 1/4" X 125 FT ASSY MNPT X MNPT SMOOTH COVER
966002	n/a	1 1/4" ID	1 1/4" X 150 FT ASSY MNPT X MNPT SMOOTH COVER
967000	F967000	1 1/2" ID	1 1/2" X 10FT ASSY, STEEL MNPT X MNPT
967001	F967001	1 1/2" ID	1 1/2" X 12FT ASSY, STEEL MNPT X MNPT
967002	F967002	1 1/2" ID	1 1/2" X 15FT ASSY, STEEL MNPT X MNPT
967003	F967003	1 1/2" ID	1 1/2" X 20FT ASSY, STEEL MNPT X MNPT
968050	F968050	2" ID	2" X 10FT ASSY, STEEL MNPT X MNPT
968055	F968055	2" ID	2" X 12FT ASSY, STEEL MNPT X MNPT
968060	F968060	2" ID	2" X 15FT ASSY, STEEL MNPT X MNPT (PLANT)
968065	F968065	2" ID	2" X 19FT ASSY, STEEL MNPT X MNPT (TRANSPORT)
968070	F968070	2" ID	2" X 20FT ASSY, STEEL MNPT X MNPT
968075	F968075	2" ID	2" X 25 FT ASSY, STEEL MNPT X MNPT
968080	F968080	2" ID	2" X 30 FT ASSY, STEEL MNPT X MNPT
968085	F968085	2" ID	2" X 50 FT ASSY, STEEL MNPT X MNPT

ITEM#	HOSE SIZE	LPG FITTINGS/COUPLINGS
951000	1/4" ID	1/4" BARB x 1/4" FSAE, STEEL W/ ZINC COATING
951001	1/4" ID	1/4" BARB X 1/4" MNPT, STEEL W/ ZINC COATING
952000	3/8" ID	3/8" BARB X 3/8" MNPT, STEEL W/ ZINC COATING
952001	3/8" ID	3/8" BARB X 3/8" FSAE, STEEL W/ ZINC COATING
953000	1/2" ID	1/2" BARB X 1/2" FSAE, STEEL W/ ZINC COATING
953001	1/2" ID	1/2" BARB X 1/2" MNPT, STEEL W/ ZINC COATING
954000	3/4" ID	3/4" BARB X 1/2" MNPT, STEEL W/ ZINC COATING
954001	3/4" ID	3/4" BARB X 1/2" FSAE STEEL W/ ZINC COATING
954002	3/4" ID	3/4" BARB X 3/4" FSAE, STEEL W/ ZINC COATING
954003	3/4" ID	3/4" BARB X 3/4" MNPT, STEEL W/ ZINC COATING
955000	1" ID	1" BARB X 1" FSAE, STEEL W/ ZINC COATING
955001	1" ID	1" BARB X 1" MNPT, STEEL W/ ZINC COATING
956000	1 1/4" ID	1 1/4" BARB X 1 1/4" FSAE, STEEL W/ ZINC COATING
956001	1 1/4" ID	1 1/4" BARB X 1 1/4" MNPT, STEEL W/ ZINC COATING

ITEM#	HOSE SIZE	LPG FITTINGS/COUPLINGS
957000	1 1/2" ID	1 1/2" BARB X 1 1/2" MNPT, STEEL W/ ZINC COATING
958000	2" ID	2" BARB X 2" FSAE SWIVEL, STEEL W/ ZINC COATING
958001	2" ID	2" BARB X 2" MNPT, STEEL W/ ZINC COATING
958002	3" ID	3" BARB X 3" MNPT, STEEL W/ ZINC COATING
951005	1/4" ID	1/4" BRASS BARB X FSAE, SWIVEL FITTING
952005	3/8" ID	3/8" BRASS BARB X FSAE, SWIVEL FITTING
953005	1/2" ID	1/2" BRASS BARB X FSAE, SWIVEL FITTING
951006	1/4" ID	1/4" BRASS HD FERRULE
952006	3/8" ID	3/8" BRASS HD FERRULE
953006	1/2" ID	1/2" BRASS HD FERRULE
951010	1/4" ID	1/4" BRASS BARB X 9/16" LHT FEMALE, SWIVEL
951011	1/4" ID	BRASS 1/4" BARB X 1/4" MNPT
952010	3/8" ID	BRASS 3/8" BARB X 3/8" MNPT
953010	1/2" ID	BRASS 1/2" BARB X 1/2" MNPT

WHAT'S INSIDE

TUBE HEATERS

Page 6



DXH70CFAV

Page 16




DXH12B

Page 16



PORTABLE SHOWERS

Page 18



**FORCED AIR
KEROSENE
HEATERS**

Page 14



TECHNICAL & CUSTOMER SERVICE

1-866-447-2194

WWW.HEATSTARBYENERCO.COM

Enerco Group Inc. 4560 West 160th St. Cleveland, Ohio 44135