Printing date 09.07.2013 Revision: 09.07.2013

### 1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: FILTER FAN & VENT CLEANER
- · Article number: 52032,52128
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the preparation Basic cleaner
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Highside Chemicals, Inc. 11114 Reichold Road Gulfport, MS 39503 USA Phone: (228) 896-9220

· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

### 2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H400, H410.



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R21/22: Harmful in contact with skin and if swallowed.

(Contd. on page 2)

Printing date 09.07.2013 Revision: 09.07.2013

**Trade name: FILTER FAN & VENT CLEANER** 

(Contd. of page 1)

Xi; Irritant

R36/38: Irritating to eyes and skin.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

N; Dangerous for the environment

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R10: Flammable.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Vapours of the product are heavier than air and may accumulate on the ground, in mines, drains or cellars with higher concentration.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

#### · 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H410.

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



This pictogram only applicable for EU regulations. Not for use in the United States (OSHA GHS).









GHS02 GHS05 GHS07 GHS09

· Signal word Danger

### · Hazard-determining components of labelling:

(R)-p-mentha-1,8-diene Nonylphenol Ethoxylate

· Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H410.

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 3)

Printing date 09.07.2013 Revision: 09.07.2013

#### **Trade name: FILTER FAN & VENT CLEANER**

(Contd. of page 2)

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280 Wear protective gloves / eye protection.

P233 Keep container tightly closed.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

- · Hazard description:
- · WHMIS-symbols:

B3 - Combustible liquid

D2B - Toxic material causing other toxic effects



· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 2

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 2

REACTIVITY Reactivity = 0

· HMIS Long Term Health Hazard Substances

None of the ingredients is listed.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

## 3 Composition/information on ingredients

- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

(Contd. on page 4)

Printing date 09.07.2013 Revision: 09.07.2013

#### **Trade name: FILTER FAN & VENT CLEANER**

CAS: 5989-27-5	(R)-p-mentha-1,8-diene	(Contd. of page 3
EINECS: 227-813-5	Xi R38; Xi R43; ₩ N R50/53	23-30 /6
Index number: 601-029-00-7		
	Flam. Liq. 3, H226 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 34590-94-8 EINECS: 252-104-2	(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	10-25%
CAS: 29911-28-2 EINECS: 249-951-5	1-(2-butoxy-1-methylethoxy)propan-2-ol  Xn R21/22	10-25%
CAS: 68603-42-9	Coconut diethanolamide	<10%
EINECS: 271-657-0	🗶 Xi R36/38	]
	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 26027-38-3	Nonylphenol Ethoxylate	<10%
NLP: 500-045-0	x Xn R21/22; x Xi R38-41; N R50/53	
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
	Acute Tox. 4, H302; Skin Irrit. 2, H315	
SVHC		
26027-38-3 Nonylphenol Eth	oxylate	
Additional information: For	the wording of the listed risk phrases refer to section 16.	

### 4 First aid measures

- · 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulty

Nausea

Headache

Cramp

Allergic reactions

(Contd. on page 5)

Printing date 09.07.2013 Revision: 09.07.2013

**Trade name: FILTER FAN & VENT CLEANER** 

(Contd. of page 4)

· Hazards

Danger of impaired breathing.

Danger of convulsion.

· 4.3 Indication of any immediate medical attention and special treatment needed

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If swallowed, gastric irrigation with added, activated carbon.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

# **5 Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

No further relevant information available.

Eliminate all ignition sources if safe to do so.

Cool endangered receptacles with water fog or haze.

#### 6 Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Protect from heat.

#### 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 6)

Printing date 09.07.2013 Revision: 09.07.2013

**Trade name: FILTER FAN & VENT CLEANER** 

See Section 13 for disposal information.

(Contd. of page 5)

## 7 Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:			
34590-94-8 (2	34590-94-8 (2-methoxymethylethoxy)propanol		
IOELV (EU)	Long-term value: 308 mg/m³, 50 ppm Skin		
PEL (USA)	Long-term value: 600 mg/m³, 100 ppm Skin		
REL (USA)	Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin		
TLV (USA)	Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin		

(Contd. on page 7)

Printing date 09.07.2013 Revision: 09.07.2013

**Trade name: FILTER FAN & VENT CLEANER** 

(Contd. of page 6)

EL (Canada) | Short-term value: 150 ppm

Long-term value: 100 ppm

Skin

EV (Canada) Short-term value: 910 mg/m³, 150 ppm Long-term value: 605 mg/m³, 100 ppm

- · DNELs No further relevant information available.
- **PNECs** No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · **Respiratory protection:** Use suitable respiratory protective device when aerosol or mist is formed.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Butvl rubber, BR

Neoprene gloves

Nitrile rubber, NBR

#### · Eye protection:

Contact lenses should not be worn.



Safety glasses

- Body protection: Solvent resistant protective clothing

(Contd. on page 8)

Printing date 09.07.2013 Revision: 09.07.2013

**Trade name: FILTER FAN & VENT CLEANER** 

(Contd. of page 7)

· Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical prope	9 Physical and chemical properties		
9.1 Information on basic physical a     General Information     Appearance:			
Form:	Liquid		
Colour:	Yellow		
· Odour:	Citrus.		
· Odour threshold:	Not determined.		
· pH-value:	Not determined.		
<ul> <li>Change in condition</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul>	Undetermined. 212 °F / 100 °C		
· Flash point:	125 °F / 52 °C (ASTM D-93)		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:	Not determined.		
· Decomposition temperature:	Not determined.		
· Self-igniting:	Product is not self-igniting.		
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.		
· Explosion limits: Lower: Upper:	0,7 Vol % 14,0 Vol %		
· Vapour pressure:	Not determined.		
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	0,93 g/cm³ Not determined. Not determined. Not determined.		
Solubility in / Miscibility with water at 20 °C:	>20g/100g (product)		
· Partition coefficient (n-octanol/wat	er): Not determined.		
· Viscosity: Dynamic at 20 °C:	12 mPas		
	(Contd. on page 9)		

Printing date 09.07.2013 Revision: 09.07.2013

**Trade name: FILTER FAN & VENT CLEANER** 

(Contd. of page 8)

**Kinematic:** Not determined.

· Solvent content:

VOC (California) 76-77 %

• 9.2 Other information No further relevant information available.

### 10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Flammable.

Reacts with oxidizing agents.

Forms flammable gases/fumes.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

Toxic fumes may be released if heated above the decomposition point.

· 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Hydrocarbons

Carbon monoxide and carbon dioxide

Nitrogen oxides

### 11 Toxicological information

· 11.1 Information on toxicological effects

Dermal LD50 >2000 mg/kg (rabbit)

· Acute toxicity:

· LD/LC50 values relevant for classification:			
5989-27-5 (R)-p-mentha-1,8-diene			
Oral	LD50	4400 mg/kg (rat)	
29911-28-2 1-(2-butoxy-1-methylethoxy)propan-2-ol			
Oral	LD50	4000 mg/kg (rat)	

- Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eve: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · Subacute to chronic toxicity: Vapours have narcotic effect.

(Contd. on page 10)

Printing date 09.07.2013 Revision: 09.07.2013

**Trade name: FILTER FAN & VENT CLEANER** 

· Additional toxicological information:

(Contd. of page 9)

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Irritant

Danger through skin adsorption.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

Toxic and/or corrosive effects may be delayed up to 24 hours.

· Sensitisation: Sensitization possible by skin contact.

· Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

# 12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Toxic for aquatic organisms
- 12.2 Persistence and degradability Moderately /partly biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark:

Very toxic for fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.

- · Additional ecological information:
- · General notes:

This statement was deduced from the properties of the single components.

Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

(Contd. on page 11)

Printing date 09.07.2013 Revision: 09.07.2013

**Trade name: FILTER FAN & VENT CLEANER** 

(Contd. of page 10)

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
   Recommended cleansing agents: Water, if necessary together with cleansing agents.

I4 Transport information	
· 14.1 UN-Number · DOT · ADR, IMDG, IATA	N/A Classified as combustible under US DOT regulations Labeling required for single packages ≥119 US gal 450 to include Combustible symbol and Prope Shipping Name. UN1993
14.2 UN proper shipping name	
· DOT · ADR	N/A 1993 FLAMMABLE LIQUID, N.O.S., mixture ENVIRONMENTALLY HAZARDOUS
· IMDG	FLAMMABLE LIQUID, N.O.S., mixture, MARINI POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S., mixture
· 14.3 Transport hazard class(es)	
· DOT · Class	N/A
· ADR	
· Class · Label	3 (F1) Flammable liquids. 3
· IMDG	
<b>♦</b>	
· Class · Label	<ul><li>3 Flammable liquids.</li><li>3</li></ul>
·IATA	
· Class	3 Flammable liquids.
	(Contd. on page 1

Printing date 09.07.2013 Revision: 09.07.2013

**Trade name: FILTER FAN & VENT CLEANER** 

	(Contd. of page 11)
· Label	3
· 14.4 Packing group · DOT · ADR, IMDG, IATA	N/A III
· 14.5 Environmental hazards:     · Marine pollutant:     · Special marking (ADR):	Yes Symbol (fish and tree) Symbol (fish and tree)
<ul> <li>14.6 Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> </ul>	Warning: Flammable liquids. 30 F-E,S-E
· 14.7 Transport in bulk according to Ann MARPOL73/78 and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
ADR     Limited quantities (LQ)     Transport category     Tunnel restriction code	5L 3 D/E
· UN "Model Regulation":	UN1993, FLAMMABLE LIQUID, N.O.S., mixture, ENVIRONMENTALLY HAZARDOUS, 3, III

### 15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

111-42-2 2,2'-iminodiethanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

68603-42-9 Coconut diethanolamide

111-42-2 2,2'-iminodiethanol

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 13)

Printing date 09.07.2013 Revision: 09.07.2013

**Trade name: FILTER FAN & VENT CLEANER** 

	(Contd. of page 12)
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic Categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
5989-27-5 (R)-p-mentha-1,8-diene	3
111-42-2 2,2'-iminodiethanol	3
· TLV (Threshold Limit Value established by ACGIH)	
111-42-2 2,2'-iminodiethanol	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
· Canada	
· Canadian Domestic Substances List (DSL)	
All ingredients are listed.	
· Canadian Ingredient Disclosure list (limit 0.1%)	
None of the ingredients is listed.	
· Canadian Ingredient Disclosure list (limit 1%)	
5989-27-5 (R)-p-mentha-1,8-diene	
34590-94-8 (2-methoxymethylethoxy)propanol	
· National regulations:	
· Other regulations, limitations and prohibitive regulations	
· Substances of very high concern (SVHC) according to REACH, Article 57	
26027-38-3 Nonylphenol Ethoxylate	
· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carri	ed out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

(Contd. on page 14)

Printing date 09.07.2013 Revision: 09.07.2013

#### Trade name: FILTER FAN & VENT CLEANER

(Contd. of page 13) H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. R10 Flammable. R21/22 Harmful in contact with skin and if swallowed. R36/38 Irritating to eyes and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R43 May cause sensitisation by skin contact. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Sources SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com